



excimer laser and achieves identical results, but without expensive, bulky laser technology. Treatments with the EXCIMER 308 SYSTEM are especially intense and effective. The powerful system with its 16 cm² spot precisely targets the lesions, leaving healthy skin unexposed.

Established for Psoriasis

The EXCIMER 308 SYSTEM achieves excellent results for psoriasis, identical to those of an excimer laser which is clinically proven. The targeting of localized, persistent psoriasis plagues allows high dose treatments for fast visible results and high patient satisfaction.2 The surrounding, healthy tissue is spared.

Preferred for Vitiligo

Monochromatic UVB light is described as an effective approach for the treatment of vitiligo with few side effects.^{3,4} The handheld EXCIMER 308 SYSTEM gets results in vitiligo treatments that match those of a laser.

BENEFITS



Highly Effective

High dose, monochromatic 308nm light, on par with excimer laser systems, optimum therapeutic ratio, lesion targeting for safe treatments and fast results & up to 16 cm² spot size for short treatment times of larger areas.



Reasonable Price

Low acquisition and operating, Maintenance-free technology, no consumables, no gas needed, mobile and space saving (smallest available handheld excimer system on the market).



High Patient Satisfaction

Completely pain-free treatments, maximum protection of healthy skin, no downtime, fast results.



Easy Handling

Automated MED (Minimum Erythema Dose) test: convenient and time saving, simple and intuitive setting of all parameters, big, easy-to-use color touch screen.



Smart Design

Small, well-designed housing, compact carrying case for high mobility & modern look.

Listen to our experts:

In the past I used the excimer laser for vitiligo and psoriasis with good clinical results. Now I use the handheld EXCIMER 308 SYSTEM because it is much more convenient and gives me the same clinical results."

Moshe Lapidoth M.D., MPH

Dermatologist, Dir. of the Laser
Unit, Rabin Medical Center, Israel.
VP of the European Society for
Laser Dermatology.

After treating many patients, I can see that the EXCIMER 308 SYSTEM is really powerful.
The results are in some cases even better compared to my excimer laser."

Dr. Raul Yaguboglu,

DermAllegra, Pommelsbrunn/
Hohenstadt, Germany

In relation to the number of treatments, we are getting clinical results just as fast with the EXCIMER 308 SYSTEM as with an excimer laser."

Prof. Dr. Ulrich Amon, DermAllegra, Pommelsbrunn / Hohenstadt, Germany I am highly satisfied with my EXCIMER 308
SYSTEM due to its vast application range, outstanding speed and incomparable safety."

Dr. Jagdish Sakhiya, M.D, Sakhiya Skin Clinic, Surat, India



BEFORE



AFTER



BEFORE



AFTER

1 Amon U, Yaguboglu R, Schmidt U, Lederer S, Seßler K, Bröhl L, Gruber M. Comparative clinical experiences in the treatment of chro-nic skin diseases using either a 308 nm excimer-laser or a new monochromatic 308 nm excimer system. Kosmetische Medizin 5/2008, pp 262-266. 2 Köllner K, Wimmershoff MB, Hintz C, Landthaler M, Hohenleutne U. Comparison of the 308 nm excimer laser and a 308 nm excimer lamp with 311 nm narrowband ultraviolet B in the treatment of psoria-sis. British Journal of Dermatology 2005 152, pp 750-754. 3 Forschner T, Buchholtz S, Stockfleth E. Current state of vitiligo therapy-evidence-based analysis of the literature. J Dtsch Dermatol Ges. 2007 Jun;5(6), pp 467-75. 4 Le Duff F, Fontas E, Giacchero D, Sillard L, Lacour JP, Ortonne JP, Passeron T. 308-nm excimer laser for trea-ting vitiligo: a randomized study. British Journal of Dermatology 2010 163, pp 188-192.

TECHNICAL SPECIFICATIONS



Wavelength	308 nm	
Spot size	40 x 40 mm, 16 cm ²	
Medium output density	50 mW/cm²	
Energy density	50–6000 mJ/cm²	
Power requirements	100-240 V, 0.8 A, 50/60 Hz	
Dimensions (L x W x H)	26 x 24 x 27 cm	
Compliance	EC Medical Device Directive (MDD) 93/42/EEC (CE mark), FDA / US 510 k*	

Technical specifications are subject to change without notice. *Intended use may differ from this brochure.

EXCIMER LASER VS. EXCIMER 308 SYSTEM

Light Source	Excimer Laser	EXCIMER 308 SYSTEM
Wavelength	308 nm	308 nm
Acquisition costs	high	low
Operating costs	high (gas etc.)	very low
Weight	> 100 kg	mobile handheld system
Space requirements	high	minimal
Mobility	low	very high

Exclusive Distributor:



PT. RADIAN ELOK DISTRIVERSA

Graha SKG-GN, Jl. Raya Kelapa Nias Blok GN-5, Kelapa Gading Barat, Jakarta Utara 14240, INDONESIA

T: +6221 45850088 www.radian-elok-distriversa.com

Alma Lasers GmbH

Nordostpark 100-102 90411 Nuernberg, Germany Tel. + 49 911 / 89 11 29-0 Fax + 49 911 / 89 11 29-99 Email: info@almalasers.com www.almalasers.com

PBAP24011605_0

©2017-2018 Alma Lasers, Ltd. All rights reserved.
Alma Lasers, its logo, and EXCIMER 308 SYSTEM are trademarks or registered trademarks of Alma Lasers, Ltd.
In the United States and/or other countries.
Product specifications are subject to change without notice.







CONNECT WITH ALMA LASERS





